

ID1	Area	No	ID2	Feat	Species1	Species2	General Description	Age	Vet
1	1	1	1,1	c	Norway Maple	<i>Acer platanoides</i>	14 individuals - Fair.	C	
2	1	2	1,2	c	Cherry	<i>Prunus sp.</i>	3 plantings - fencing old.	A	
3	1	3	1,3	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D	V
					Red Horse Chestnut/Horse Chestnut	<i>Aesculus × carnea/Aesculus hippocastanum</i>			
4	1	4	1,4	l	White Willow/Crack Willow		c.20 individuals - poor condition - <i>Phytophthora</i> . 3 veteran White Willow with willow heart rot.	B	
5	1	5	1,5	c	Willow	<i>Salix alba/Salix fragilis</i>	Old natural pollards.	v	
6	1	6	1,6	c	Alder	<i>Alnus glutinosa</i>	Riverside regeneration.	A/B	
7	1	7	1,7	s	Field Maple	<i>Acer campestre</i>	Ancient - falling appart, Poor.	C	
8	1	8	1,8	s	Hawthorn	<i>Crataegus monogyna</i>	Fair.	C	
9	1	9	1,9	s	Ash	<i>Fraxinus excelsior</i>	Poor - leaning. <i>Ganoderma</i> and <i>Inonotus</i> infection.	D	
10	1	10	1,10	s	Ash	<i>Fraxinus excelsior</i>	Poor - extensive cavity and basal rot.	D	V
11	1	11	1,11	s	Ash	<i>Fraxinus excelsior</i>	Fallen	DD	
12	1	12	1,12	Pl	Beech	<i>Fagus sylvatica</i>	3 individuals. Poor.	A	
13	1	13	1,13	s	Sycamore	<i>Acer pseudoplatanus</i>	Good. Tar spot.	C	
14	1	14	1,14	Pl	Holly	<i>Ilex aquifolium</i>	2 individuals. Weeds and old fencing.	A	
15	1	15	1,15	Pl	English Oak	<i>Quercus robur</i>	3 single plantings. Live but grazed.	A	
16	1	16	1,16	s	English Oak	<i>Quercus robur</i>	Good.	D	
17	1	17	1,17	s	Black Poplar	<i>Populus nigra</i>	Poor.	D	
18	1	18	1,18	sb	English Oak/Sycamore	<i>Quercus robur/Acer pseudoplatanus</i>	Mixed shelterbelt. Sycamore 9(a), Oak 16(a), 4(c). Also 1 big Hawthorn.	D	
19	1	19	1,19	s	Ash	<i>Fraxinus excelsior</i>	Poor. Canker and Ivy present.	D	V
20	1	20	1,20	c	Hawthorn	<i>Crataegus monogyna</i>	5 Individuals. Good.	C	
21	1	21	1,21	Pl	Beech	<i>Fagus sylvatica</i>	3 individuals in planting.	A	
22	1	22	1,22	s	Ash	<i>Fraxinus excelsior</i>	Poor.	D	
23	1	23	1,23	Pl	English Oak	<i>Quercus robur</i>	Single healthy planting.	A	
24	1	24	1,24	s	Sycamore	<i>Acer pseudoplatanus</i>	Poor.	C	
25	1	25	1,25	s	Ash	<i>Fraxinus excelsior</i>	Poor.	D	
26	1	26	1,26	p	Ash	<i>Fraxinus excelsior</i>	2 individuals - poor. <i>Inonotus</i> infection.	D	
27	1	27	1,27	p	Ash	<i>Fraxinus excelsior</i>	2 individuals. Fair/poor. Also one stump.	D	V

HADDON HALL TREE SURVEY 2018 Ages: A=0-50yrs; B=50-120 yrs; C=120-170 yrs; D=170-250 yrs; E=250 yrs+. CR=crown raise; DD=dead; FL= fell; X=gone.

28	1	28	1,28	Pl	English Oak	<i>Quercus robur</i>	Good planting.	C
29	1	29	1,29	s	English Oak	<i>Quercus robur</i>	Good.	c
30	1	30	1,30	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D
31	1	31	1,31	s	Sycamore	<i>Acer pseudoplatanus</i>	Poor - tar spot.	C
32	1	32	1,32	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	D
33	1	33	1,33	s	Ash	<i>Fraxinus excelsior</i>	Poor - <i>Inonotus</i> infection.	D V
34	1	34	1,34	c	Ash	<i>Fraxinus excelsior</i>	3 maidens. Poor <i>Inonotus</i> infection.	D
35	1	35	1,35	s	Ash	<i>Fraxinus excelsior</i>	Poor - bifurcated main stem.	D V
36	1	36	1,36	s	Sycamore	<i>Acer pseudoplatanus</i>	Almost dead. <i>Meripilus</i> infection.	C
37	1	37	1,37	s	Hawthorn	<i>Crataegus monogyna</i>	Good.	B
38	1	38	1,38	c	Sycamore	<i>Acer pseudoplatanus</i>	5 Individuals. Good.	B
39	1	39	1,39	s	Sycamore	<i>Acer pseudoplatanus</i>	Tar spot.	C
40	1	40	1,40	s	Sycamore	<i>Acer pseudoplatanus</i>	Tar spot.	C
41	1	41	1,41	s	Sycamore	<i>Acer pseudoplatanus</i>	Potential veteran.	D
42	1	42	1,42	s	Ash	<i>Fraxinus excelsior</i>	Good.	B
43	1	43	1,43	l	Ash	<i>Fraxinus excelsior</i>	26 boundary trees in hedgerow - good.	B
44	1	44	1,44	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D
45	1	45	1,45	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D
46	1	46	1,46	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D
47	1	47	1,47	h	Hawthorn	<i>Crataegus monogyna</i>	Historic laid and outgrown hedge - 6 individuals approx.	D
48	1	48	1,48	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	D
49	1	49	1,49	p	Hawthorn	<i>Crataegus monogyna</i>	Good.	C
51	1	51	1,51	Pl	Lime	<i>Tilia sp.</i>	Single planting Good.	A
52	1	52	1,52	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	D
53	1	53	1,53	Pl	English Oak	<i>Quercus robur</i>	Single planting Good.	A
54	1	54	1,54	s	Ash	<i>Fraxinus excelsior</i>	Good.	D
55	1	55	1,55	s	Red Oak	<i>Quercus rubra</i>	Good.	A
56	1	56	1,56	s	Sycamore	<i>Acer pseudoplatanus</i>	Poor - tarspot.	C
57	1	57	1,57	s	Sycamore	<i>Acer pseudoplatanus</i>	Fair.	D

HADDON HALL TREE SURVEY 2018 Ages: A=0-50yrs; B=50-120 yrs; C=120-170 yrs; D=170-250 yrs; E=250 yrs+. CR=crown raise; DD=dead; FL= fell; X=gone.

58	1	58	1,58	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
59	1	59	1,59	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
60	1	60	1,60	Pl	Red Oak	<i>Quercus rubra</i>	Single planting - Donated by DDDC.	A	
61	1	61	1,61	Pl	Norway Maple	<i>Acer platanoides</i>	Single planting.	A	
62	1	62	1,62	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
63	1	63	1,63	c	Ash/Sycamore	<i>Fraxinus excelsior/Acer pseudoplatanus</i>	Large overgrown copse. 28 Ash, 3 Sycamore. Badger setts on SE edge.	C	
64	1	64	1,64	Pl	Red Oak	<i>Quercus rubra</i>	Single planting - poor condition.	A	
65	1	65	1,65	s	English Oak	<i>Quercus robur</i>		D	
66	1	66	1,66	s	Ash	<i>Fraxinus excelsior</i>	Fair. Nests in cavities.	D	V
67	1	67	1,67	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
						<i>Acer pseudoplatanus/Fraxinus excelsior</i>			
68	1	68	1,68	l	Sycamore/Ash	<i>excelsior</i>	10 trees.	C	
69	1	69	1,69	s	Sycamore	<i>Acer pseudoplatanus</i>	Poor - 30 degree lean. Poor - Hollow trunk. Buzzard using it as nest/perch.	D	
70	1	70	1,70	s	Ash	<i>Fraxinus excelsior</i>		D	V
71	1	71	1,71	Pl	English Oak	<i>Quercus robur</i>	Single planting - poor condition.	A	
72	1	72	1,72	Pl	Sweet Chestnut	<i>Castanea sativa</i>	Triangular planting (3 individuals).	A	
73	1	73	1,73	s	Sweet Chestnut	<i>Castanea sativa</i>	Fallen over, split, much bark delaminated.	D	V
74	1	74	1,74	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
75	1	75	1,75	Pl	English Oak	<i>Quercus robur</i>	Failed planting.	DD	
76	1	76	1,76	Pl	English Oak	<i>Quercus robur</i>	Triple planting.	A	
77	1	77	1,77	Pl	Crab Apple	<i>Malus sylvestris</i>	Triple planting.	A	
						<i>Fraxinus excelsior/Malus sylvestris</i>	Triple planting of Crab Apple. 2 Ash have established through regeneration.	A	
78	1	78	1,78	Pl	Ash/Crab Apple	<i>sylvestris</i>		A	
79	1	79	1,79	s	Ash	<i>Fraxinus excelsior</i>	Surrounded by scrub.	A	
80	1	80	1,80	Pl	Sycamore	<i>Acer pseudoplatanus</i>	Single planting.	A	
81	1	81	1,81	Pl	Walnut	<i>Juglans regia</i>	Single planting.	A	
82	1	82	1,82	Pl	Ash	<i>Fraxinus excelsior</i>	Single planting.	A	
83	1	83	1,83	s	Field Maple	<i>Acer campestre</i>	Good.	D	V
84	1	84	1,84	s	Field Maple	<i>Acer campestre</i>	Fair - large basal cavity.	D	V

HADDON HALL TREE SURVEY 2018 Ages: A=0-50yrs; B=50-120 yrs; C=120-170 yrs; D=170-250 yrs; E=250 yrs+. CR=crown raise; DD=dead; FL= fell; X=gone.

85	1	85	1,85	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	D	
86	1	86	1,86	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
87	1	87	1,87	s	Sycamore	<i>Acer pseudoplatanus</i>	Tarspot.	D	
88	1	88	1,88	s	Sycamore	<i>Acer pseudoplatanus</i>	Tarspot.	D	
89	1	89	1,89	s	Sycamore	<i>Acer pseudoplatanus</i>	Tarspot.	D	
90	1	90	1,90	s	Sycamore	<i>Acer pseudoplatanus</i>	Tarspot.	C	
91	1	91	1,91	Pl	Small-leaved Lime	<i>Tilia cordata</i>	Single planting.	A	
92	1	92	1,92	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
93	1	93	1,93	Pl	Ash	<i>Fraxinus excelsior</i>	Single planting.	A	
94	1	94	1,94	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
95	1	95	1,95	s	Ash	<i>Fraxinus excelsior</i>	Very good Condition relative to size.	D	
96	1	96	1,96	s	English Oak	<i>Quercus robur</i>	Fair.	D	
97	1	97	1,97	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D	
98	1	98	1,98	Pl	Sycamore	<i>Acer pseudoplatanus</i>	Single planting.	A	
99	1	99	1,99	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
100	1	100	1,100	Pl	Ash	<i>Fraxinus excelsior</i>	Single planting.	A	
101	1	101	1,101	s	Ash	<i>Fraxinus excelsior</i>	Poor - very hollow trunk.	D	V
102	1	102	1,102	s	English Oak	<i>Quercus robur</i>	Fair.	D	
103	1	103	1,103	Pl	English Oak	<i>Quercus robur</i>	Triple planting.	A	
104	1	104	1,104	s	Ash	<i>Fraxinus excelsior</i>	Good.	D	
105	1	105	1,105	s	Sycamore	<i>Acer pseudoplatanus</i>	Fair -tarspot.	D	
106	1	106	1,106	s	Ash	<i>Fraxinus excelsior</i>	Poor.	D	V
107	1	107	1,107	s	Sycamore	<i>Acer pseudoplatanus</i>	Fair - tarspot.	A	
108	1	108	1,108	s	English Oak	<i>Quercus robur</i>	Fair.	D	
109	1	109	1,109	Pl	English Oak	<i>Quercus robur</i>	Failed planting.	DD	
110	1	110	1,110	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
111	1	111	1,111	s	Sycamore	<i>Acer pseudoplatanus</i>	Fair - bark damage at base.	D	
112	1	112	1,112	Av	Beech	<i>Fagus sylvatica</i>	U-shaped avenue. 33 individuals - 10(a), 18(b) and (C). Too close together. some falling down.	D	
113	1	113	1,113	s	Lime	<i>Tilia sp.</i>	Huge open basal cavity, heavily lignified.	D	V
114	1	114	1,114	s	Ash	<i>Fraxinus excelsior</i>	Good.	D	

115	1	115	1,115	s	Ash	<i>Fraxinus excelsior</i>	Maiden - fair condition but big lean. Next to remains of veteran (old stump).	D	
116	1	116	1,116	s	Sycamore	<i>Acer pseudoplatanus</i>	Old pollard. Open cavity in trunk.	D	V
117	1	117	1,117	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
118	1	118	1,118	s	English Oak	<i>Quercus robur</i>	Fair.	D	
119	1	119	1,119	s	Horse Chestnut	<i>Aesculus hippocastanum</i>		D	
120	1	120	1,120	s	Sycamore	<i>Acer pseudoplatanus</i>	Fair - tarspot.	D	
121	1	121	1,121	Pl	English Oak	<i>Quercus robur</i>	Single planting.	A	
122	1	122	1,122	s	Sycamore	<i>Acer pseudoplatanus</i>	Dead stump nearby.	D	
123	1	123	1,123	s	Sycamore	<i>Acer pseudoplatanus</i>	Fair - hollow cavity in trunk.	D	V
						<i>Quercus robur/Tilia cordata/Acer pseudoplatanus</i>	Central lines are Lime. Outside lines are Oak. English Oak: 14(a) (6 in plantings), 15(b), 7(c), 10 (v). Lime: 4(a) (all in plantings), 4(b), 23(c), 7(v) Sycamore: 6(b).		
124	1	124	1,124	Nurse	Lime/Sycamore			D	
125	2	1	2,1	s	Ash	<i>Fraxinus excelsior</i>	Deadwood, hollowing at base. Future veteran.	D	
126	2	2	2,2	s	Ash	<i>Fraxinus excelsior</i>	Large enough for veteran status but very healthy still.	D	
127	2	3	2,3	s	Ash	<i>Fraxinus excelsior</i>	Already degenerating - roots and trunk split and rotten.	D	
128	2	4	2,4	s	Ash	<i>Fraxinus excelsior</i>	Has lost one major limb. Deadwood and bracket fungi present.	D	V
129	2	5	2,5	s	Ash	<i>Fraxinus excelsior</i>	Hollow trunk, has shed several limbs.	D	V
130	2	6	2,6	s	Ash	<i>Fraxinus excelsior</i>	Future veteran.	D	
131	2	7	2,7	s	Ash	<i>Fraxinus excelsior</i>	Splits, hollows and swellings. Remains of other fallen Ash (size c) and fallen limbs underneath.	D	
132	2	8	2,8	s	Ash	<i>Fraxinus excelsior</i>	Split and rotting trunk.	D	
133	2	9	2,9	s	Hawthorn	<i>Crataegus monogyna</i>		D	
134	2	10	2,10	s	Hawthorn	<i>Crataegus monogyna</i>	Large Split in base - falling over.	D	
135	2	11	2,11	s	Hawthorn	<i>Crataegus monogyna</i>	Dropped centre of crown in past.	D	
136	2	12	2,12	s	Ash	<i>Fraxinus excelsior</i>	Fungi on base (photo). Large split and decay in trunk.	D	
137	2	13	2,13	s	Ash	<i>Fraxinus excelsior</i>	Dead Stump.	DD	
138	2	14	2,14	s	Ash	<i>Fraxinus excelsior</i>	Recently shed limbs and large size.	D	

139	2	15	2,15	s	Ash	<i>Fraxinus excelsior</i>	Splits, cavities and bracket fungi present.	D	
140	2	16	2,16	p	Dead		Standing deadwood.	DD	
141	2	17	2,17	s	English Oak	<i>Quercus robur</i>	Deadwood in canopy.	D	
142	2	18	2,18	s	Ash	<i>Fraxinus excelsior</i>	Future veteran, bracket fungi and swollen base.	D	
143	2	19	2,19	s	Ash	<i>Fraxinus excelsior</i>	Future veteran. Fungi on roots and wounds.	D	
144	2	20	2,20	s	??	?		D	V
145	2	21	2,21	s	Ash	<i>Fraxinus excelsior</i>	Bracket fungi and one large wound.	X	
146	2	22	2,22	s	Sycamore	<i>Acer pseudoplatanus</i>	Large wound.	D	
147	2	23	2,23	c	Hawthorn	<i>Crataegus monogyna</i>	1 veteran and 2 smaller. Lost limbs on one side. One huge wound providing nesting site (photo).	D	
148	2	24	2,24	s	Ash	<i>Fraxinus excelsior</i>	Deadwood and hollows. Large limb recently shed.	D	
149	2	25	2,25	s	English Oak	<i>Quercus robur</i>			
150	2	26	2,26	s	??	?		D	V
151	2	27	2,27	s	English Oak	<i>Quercus robur</i>	Maiden. Falling over due to soft ground. Large split and decay.	D	V
152	2	28	2,28	s	Ash	<i>Fraxinus excelsior</i>	Deadwood on ground, large wounds, Splits and hollows. Base swollen. Variety of fungi present.		
153	2	29	2,29	s	Sycamore	<i>Acer pseudoplatanus</i>	Large wounds and bracket fungi.	D	V
154	2	30	2,30	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
155	2	31	2,31	s	Ash	<i>Fraxinus excelsior</i>	Deadwood, bracket fungi decay and wounds all present.	D	V
156	2	32	2,32	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
157	2	33	2,33	Pl	Sweet Chestnut	<i>Castanea sativa</i>	2 individuals - planting.	A	
158	2	34	2,34	Pl	Sweet Chestnut	<i>Castanea sativa</i>	2 individuals - planting.	A	
159	2	35	2,35	sb	Beech	<i>Fagus sylvatica</i>	6 individuals.	B	
160	2	36	2,36	Pl	Sweet Chestnut	<i>Castanea sativa</i>	2 individuals and 1 dead - planting.	A	
161	2	37	2,37	s	Ash	<i>Fraxinus excelsior</i>	Large scar, fungi and bark damage at base.	DD	
162	2	38	2,38	Pl	Cherry	<i>Prunus sp.</i>	3 individuals - planting.	A	
163	2	39	2,39	Pl	Crab Apple	<i>Malus sylvestris</i>	3 individuals - planting.	A	
164	2	40	2,40	Pl	English Oak	<i>Quercus robur</i>	3 individuals - planting.	A	
165	2	41	2,41	a	Sycamore	<i>Acer pseudoplatanus</i>	Line of pollards at eight metre intervals. Screen for old railway.	B	

166	2	42	2,42	c	Dead		c.30 individuals - all dead - all rabbit damaged.	DD
167	2	43	2,43	c	Walnut	<i>Juglans regia</i>	3 individuals.	A
168	2	44	2,44	s	Alder	<i>Alnus glutinosa</i>	Large amounts of fungal decay and sap running out. Deadwood on ground.	X
169	2	45	2,45	r	Alder/White Willow	<i>Alnus glutinosa/Salix alba</i>	Range of ages (80% regeneration), substantial amount of standing deadwood.	A
170	2	46	2,46	p	Ash	<i>Fraxinus excelsior</i>	Damage at base. Wounds, large cavities and swellings.	D
171	2	47	2,47	Pl	Red Oak	<i>Quercus rubra</i>	3 individuals - planting.	A
172	2	48	2,48	sb	English Oak/Sycamore/Beech/Small-leaved Lime	<i>Quercus robur/Acer pseudoplatanus/Fagus sylvatica/Tilia cordata</i>	Oak 1(3). 4(b). 4(c), Sycamore 6(b), Beech 1(c), Small-leaved Lime 1(v)	D
173	2	49	2,49	Pl	Beech	<i>Fagus sylvatica</i>	3 individuals - planting.	A
174	2	50	2,50	sb	Sycamore	<i>Acer pseudoplatanus</i>	10 individuals.	D
175	2	51	2,51	Pl	Sweet Chestnut	<i>Castanea sativa</i>	Planting in amongst scrub. 2 individuals.	A
176	2	52	2,52	s	Ash	<i>Fraxinus excelsior</i>	Large Split and fungus on stump. Deadwood in crown. 2m DBH but not many veteran characteristics yet.	DD
177	2	53	2,53	s	English Oak	<i>Quercus robur</i>		D
178	2	54	2,54	Pl	Red Oak	<i>Quercus rubra</i>	Single planting.	A
179	2	55	2,55	s	English Oak	<i>Quercus robur</i>	Large amount of deadwood.	D V
180	2	56	2,56	s	English Oak	<i>Quercus robur</i>		B
181	2	57	2,57	Pl	Red Oak	<i>Quercus rubra</i>	Single planting.	A
182	2	58	2,58	s	English Oak Grey Willow/White Willow/Crack Willow/Alder	<i>Quercus robur</i> <i>Salix cinerea/Salix alba/Salix fragilis/Alnus glutinosa</i>	Deadwood in crown. swellings at base.	D V
183	2	59	2,59	sc	Willow/Alder	<i>Salix cinerea/Salix alba/Salix fragilis/Alnus glutinosa</i>	Area of scrub, some willow pollarded.	C
184	2	60	2,60	Pl	Small-leaved Lime	<i>Tilia cordata</i>	Single planting.	A
185	2	61	2,61	Pl	English Oak	<i>Quercus robur</i>	3 individuals - planting.	A
186	2	62	2,62	Pl	Walnut	<i>Juglans regia</i>	4 individuals - planting.	A
187	2	63	2,63	s	Field Maple	<i>Acer campestre</i>	Pollard, swollen stump and deadwood in canopy.	D V
188	2	64	2,64	s	Red Oak	<i>Quercus rubra</i>		B
189	2	65	2,65	s	Ash	<i>Fraxinus excelsior</i>		D

HADDON HALL TREE SURVEY 2018 Ages: A=0-50yrs; B=50-120 yrs; C=120-170 yrs; D=170-250 yrs; E=250 yrs+. CR=crown raise; DD=dead; FL= fell; X=gone.

190	2	66	2,66	p	Alder	<i>Alnus glutinosa</i>		C	
191	2	67	2,67	Pl	Hornbeam	<i>Carpinus betulus</i>	3 individuals - planting.	A	
192	2	68	2,68	Pl	Sweet Chestnut	<i>Castanea sativa</i>	3 individuals - planting.	A	
193	2	69	2,69	s	English Oak	<i>Quercus robur</i>	Fair.	D	
194	2	70	2,70	s	Ash	<i>Fraxinus excelsior</i>	Fair.	X	
195	2	71	2,71	s	English Oak	<i>Quercus robur</i>	poor.	C	
196	2	72	2,72	s	Alder	<i>Alnus glutinosa</i>	Poor - terminal decline.	DD	
197	2	73	2,73	s	Alder	<i>Alnus glutinosa</i>	Old pollard, lair.	C	
198	2	74	2,74	s	English Oak	<i>Quercus robur</i>	Fair.	D	V
199	2	75	2,75	s	Sycamore	<i>Acer pseudoplatanus</i>	Very poor.	B	
200	2	76	2,76	s	English Oak	<i>Quercus robur</i>	Hollow saddle.	D	V
201	2	77	2,77	s	English Oak	<i>Quercus robur</i>	Good.	B	
202	2	78	2,78	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	B	
203	2	79	2,79	s	Red Horse Chestnut	<i>Aesculus × carnea</i>	Good.	B	
204	2	80	2,80	s	Hawthorn	<i>Crataegus monogyna</i>	Good.	C	
205	2	81	2,81	s	Ash	<i>Fraxinus excelsior</i>	Good.	C	
206	2	82	2,82	s	English Oak	<i>Quercus robur</i>	Good.	B	
207	2	83	2,83	s	English Oak	<i>Quercus robur</i>	Poor, dryad saddle, hollow.	D	V
208	2	84	2,84	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	C	
209	2	85	2,85	s	Red Horse Chestnut	<i>Aesculus × carnea</i>	Poor.	X	
210	2	86	2,86	s	Red Horse Chestnut	<i>Aesculus × carnea</i>	Terminal decline.	B	
211	2	87	2,87	s	Oak	<i>Quercus sp.</i>	Basal tear wound.	B	
212	2	88	2,88	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D	V
213	2	89	2,89	Pl	Sweet Chestnut	<i>Castanea sativa</i>	3 plantings in a line - fair.	A	
214	2	90	2,90	s	Sycamore	<i>Acer pseudoplatanus</i>	Good.	A	
215	2	91	2,91	Pl	Small-leaved Lime	<i>Tilia cordata</i>	Fair.	A	
216	2	92	2,92	s	Hawthorn	<i>Crataegus monogyna</i>	Good.	D	
217	2	93	2,93	Pl	Lime	<i>Tilia sp.</i>	Single and an empty planting to the east.	A	
218	2	94	2,94	Pl	English Oak	<i>Quercus robur</i>	Planted in stocknet.	A	
219	2	95	2,95	s	Beech	<i>Fagus sylvatica</i>		B	

220	2	96	2,96	PI	Norway Maple	<i>Acer platanoides</i>	Squirrel damage - poor condition. Three plantings - 3 individuals in one. 1 individual	A
221	2	97	2,97	PI	Walnut	<i>Juglans regia</i>	in each of the others. Good.	A
222	2	98	2,98	PI	Crab Apple	<i>Malus sylvestris</i>	3 individuals in planting - fair.	A
223	2	99	2,99	s	Field Maple	<i>Acer campestre</i> <i>Fagus sylvatica</i> / <i>Fraxinus excelsior</i>	Poor.	DD
224	2	100	2,100	PI	Beech/Ash		3 Beech and 1 Ash in planting - fair.	A
225	2	101	2,101	p	Ash	<i>Fraxinus excelsior</i>	Bracket fungi and basal root damage.	D
226	2	102	2,102	s	Hawthorn	<i>Crataegus monogyna</i>	Good.	C
227	2	103	2,103	PI	Red Oak	<i>Quercus rubra</i>	3 individuals. 1 is dead. Poor.	A
228	2	104	2,104	s	Ash	<i>Fraxinus excelsior</i>	Fair.	D
229	2	105	2,105	PI	Beech	<i>Fagus sylvatica</i>	Single planting.	A
230	2	106	2,106	PI	Beech	<i>Fagus sylvatica</i>	3 individuals in planting - fair.	A
231	2	107	2,107	PI	Lime	<i>Tilia sp.</i>	Individual planting.	B
232	2	108	2,108	PI	Crab Apple/Elder/Ash	<i>Malus sylvestris</i> / <i>Sambucus nigra</i> / <i>Fraxinus excelsior</i>	Fenced planting of Crab Apple with Ash and Elder regeneration - poor.	A
233	2	109	2,109	PI	Small-leaved Lime	<i>Tilia cordata</i>	Fenced - fair.	B
234	2	110	2,110	s	Ash	<i>Fraxinus excelsior</i>	Massive hollow veteran with bracket fungi. Veterans and offspring - poor to fair. 9 individuals	D V
235	2	111	2,111	c	Ash	<i>Fraxinus excelsior</i>	- many veteran or imminent veteran.	D
236	2	112	2,112	c	Sweet Chestnut	<i>Castanea sativa</i>	Fair	A
237	2	113	2,113	s	Beech	<i>Fagus sylvatica</i>	Dead stem - <i>Ganoderma</i> & <i>Meripilus</i> infection.	D
238	2	114	2,114	PI	English Oak	<i>Quercus robur</i>	Single planting.	A
239	2	115	2,115	PI	English Oak	<i>Quercus robur</i>	Single planting.	A
240	2	116	2,116	PI	Ash	<i>Fraxinus excelsior</i>	Ring barked and fence damaged.	A
241	2	117	2,117	s	Ash	<i>Fraxinus excelsior</i>	Huge cavity - poor.	D
242	2	118	2,118	PI	Norway Maple	<i>Acer platanoides</i>	Poor - squirrel damage.	A
243	3	1	3,1	s	Black Poplar	<i>Populus nigra</i>		B
244	3	2	3,2	s	Sycamore	<i>Acer pseudoplatanus</i>		B
245	3	3	3,3	s	English Oak	<i>Quercus robur</i>		B
246	3	4	3,4	s	Sweet Chestnut	<i>Castanea sativa</i>		B
247	3	5	3,5	s	Sycamore	<i>Acer pseudoplatanus</i>		B

248	3	6	3,6	s	Sweet Chestnut	<i>Castanea sativa</i>	Dead stem but regrowth from stump.	B
249	3	7	3,7	s	English Oak	<i>Quercus robur</i>	Small amounts of deadwood in canopy.	B
250	3	8	3,8	s	Sycamore	<i>Acer pseudoplatanus</i>		B
251	3	9	3,9	s	English Oak	<i>Quercus robur</i>		B
252	3	10	3,10	s	Sweet Chestnut	<i>Castanea sativa</i>	Dead stem but regrowth from stump.	B
253	3	11	3,11	s	Ash	<i>Fraxinus excelsior</i>		B
254	3	12	3,12	s	Sycamore	<i>Acer pseudoplatanus</i>	Several branches removed, some dropped.	D
255	3	13	3,13	s	Sycamore	<i>Acer pseudoplatanus</i>		D
256	3	14	3,14	s	Alder	<i>Alnus glutinosa</i>		D
257	4	1	4,1	s	Hawthorn	<i>Crataegus monogyna</i>		D
258	4	2	4,2	r	Alder	<i>Alnus glutinosa</i>	Multistemmed trees, may have been coppiced.	B
259	4	3	4,3	p	Sycamore	<i>Acer pseudoplatanus</i>		D
260	4	4	4,4	NA	Alder/Hawthorn	<i>Alnus glutinosa/Crataegus monogyna</i>		B
261	4	5	4,5	p	Ash/Sycamore	<i>Fraxinus excelsior/Acer pseudoplatanus</i>	Ash 1(c), Sycamore (c). One small Hawthorn underneath.	D
262	4	6	4,6	p	Alder/Hawthorn	<i>Alnus glutinosa/Crataegus monogyna</i>	Alder 1(c), Hawthorn 1(a). Small regeneration.	B
263	4	7	4,7	s	Alder	<i>Alnus glutinosa</i>		B
264	4	8	4,8	s	English Oak	<i>Quercus robur</i>		B
265	4	9	4,9	s	Small-leaved Lime	<i>Tilia cordata</i>		C
266	4	10	4,10	s	Dead		Standing deadwood.	
267	4	11	4,11	c	Beech/Sycamore/Horse Chestnut	<i>Fagus sylvatica/Acer pseudoplatanus/Aesculus hippocastanum</i>	Beech 1(c), Sycamore 4(c), Horse Chestnut 2(b), 2 stumps.	D
268	4	12	4,12	c	Hornbeam/Sycamore/Elm	<i>Carpinus betulus/Acer pseudoplatanus/Ulmus sp.</i>	Hornbeam 2(a). Sycamore 2(a). Elm 1(a).	A
269	4	13	4,13	sb	Hawthorn/Rowan	<i>Crataegus monogyna/Sorbus acuparia</i>	16 Hawthorn, 3 Rowan. Recent planted 'shelterbelt'.	A
270	4	14	4,14	s	English Oak	<i>Quercus robur</i>	Future veteran.	C
271	4	15	4,15	s	Sycamore	<i>Acer pseudoplatanus</i>		B
272	4	16	4,16	s	Small-leaved Lime	<i>Tilia cordata</i>		B

273	4	17	4,17	s	English Oak	<i>Quercus robur</i>		A
274	4	18	4,18	s	Sycamore	<i>Acer pseudoplatanus</i>	Lovely large tree but severely blocking view of hall.	D
275	5	1	5,1	s	White Poplar	<i>Populus alba</i>	Twin stemmed, fenced in, covered with Ivy. Regeneration occurring under tree.	B
276	5	2	5,2	r	Alder	<i>Alnus glutinosa</i>	Riverside saplings.	X
277	5	3	5,3	s	Alder	<i>Alnus glutinosa</i>		DD
278	5	4	5,4	p	Black Poplar	<i>Populus nigra</i>		C
279	5	5	5,5	s	Crack Willow	<i>Salix fragilis</i>	Split recent pollard. Some small bracket fungi.	C
280	5	6	5,6	s	Hawthorn	<i>Crataegus monogyna</i>	Pollard. largely hollow.	D
						<i>Crataegus monogyna/Fraxinus excelsior</i>		
281	5	7	5,7	c	Hawthorn/Ash/Alder	<i>excelsior/Alnus glutinosa</i>	1 Hawthorn, 1 Ash, 1 Alder.	B
282	5	8	5,8	s	White Willow	<i>Salix alba</i>	Pollard. Large amount of deadwood in stump.	D
283	5	9	5,9	s	Hawthorn	<i>Crataegus monogyna</i>		C
284	5	10	5,10	s	Ash	<i>Fraxinus excelsior</i>	Potential veteran.	D
					Ash/White	<i>Fraxinus excelsior/Populus alba</i>		
285	5	11	5,11	c	Poplar/Willow	<i>alba/Salix sp.</i>	Ash 1(a), White Poplar 3(c), Willow 1(b).	C
286	5	12	5,12	s	Alder	<i>Alnus glutinosa</i>		B
287	5	13	5,13	s	Alder	<i>Alnus glutinosa</i>		B
288	5	14	5,14	s	Alder	<i>Alnus glutinosa</i>		B
289	5	15	5,15	s	Alder	<i>Alnus glutinosa</i>		B
290	5	16	5,16	s	Alder	<i>Alnus glutinosa</i>	3 stems from same base, one felled already. Regeneration close by and deadwood in canopy.	B
						<i>Prunus sp./Ilex aquifolium/Fraxinus excelsior/Sorbus acuparia/Alnus glutinosa/Salix sp./Taxus baccata/Quercus Ilex</i>		
291	5	17	5,17	Pl	Cherry/Holly/Ash/Rowan/Alder/Willow/Yew/Holm Oak		Newly planted area - approximately 100-150 individuals, roughly equal Split between 9 species. All being out-competed by fast growing tall herbs.	A
292	5	18	5,18	s	Ash	<i>Fraxinus excelsior</i>	Huge split and hollowing stump, deadwood and decay in canopy.	C
293	5	19	5,19	s	Ash	<i>Fraxinus excelsior</i>	Deadwood and splits but vigorous regrowth.	C

294	5	20	5,20	s	Ash	<i>Fraxinus excelsior</i>	Splits, hollows and deadwood plentiful.	DD
295	5	21	5,21	s	Ash	<i>Fraxinus excelsior</i>	Splits, hollows and deadwood plentiful.	D
296	5	22	5,22	s	Ash	<i>Fraxinus excelsior</i>	Splits, hollows and deadwood plentiful.	D
297	5	23	5,23	NA	Ash/Alder	<i>Fraxinus excelsior/Alnus glutinosa</i>	Fenced area containing riverside regeneration, 1 Alder. 1 Ash AND trees 24 and 25 (detailed seperately).	A
298	5	24	5,24	s	Ash	<i>Fraxinus excelsior</i>	Split stump with regrowth.	D
299	5	25	5,25	s	Ash	<i>Fraxinus excelsior</i>	Potential veteran.	D
300	5	26	5,26	s	Ash	<i>Fraxinus excelsior</i>	Potential veteran.	D
301	5	27	5,27	s	Alder	<i>Alnus glutinosa</i>	Large splits and shedding limbs. Potential veteran.	C
302	5	28	5,28	s	Alder	<i>Alnus glutinosa</i>	Alder regeneration also nearby.	B
303	5	29	5,29	s	Beech	<i>Fagus sylvatica</i>	Failed planting nearby.	B
304	5	30	5,30	s	English Oak	<i>Quercus robur</i>		B
305	5	31	5,31	s	Small-leaved Lime	<i>Tilia cordata</i>	Stock damage.	B
306	6	1	6,1	s	Ash	<i>Fraxinus excelsior</i>	Splits, hollows, scars and deadwood.	D
307	6	2	6,2	s	Ash	<i>Fraxinus excelsior</i>	Large bracket fungi (photo) and several dropped branches. Large amount of regrowth.	D
308	6	3	6,3	s	Ash	<i>Fraxinus excelsior</i>	Has dropped central part of crown. Animals living in base.	D
309	6	4	6,4	r	Alder/White Willow	<i>Alnus glutinosa/Salix alba</i>	Range of Alder and Willow bank side vegetation. A range of ages (90% regeneration). Separate important individual trees marked seperately.	A/B
310	6	5	6,5	s	Alder	<i>Alnus glutinosa</i>	Swellings (photo) and some deadwood.	C
311	6	6	6,6	s	Hawthorn	<i>Crataegus monogyna</i>	Likely veteran with time.	C
312	6	7	6,7	s	Alder	<i>Alnus glutinosa</i>		C
313	6	8	6,8	s	Alder	<i>Alnus glutinosa</i>	Large size, deadwood and dieback in canopy.	D
314	6	9	6,9	s	Alder	<i>Alnus glutinosa</i>	Standing deadwood, as whole tree appears to be dead.	C
315	6	10	6,10	s	Ash	<i>Fraxinus excelsior</i>	Has lost most of central crown leaving large scar. Animals living in base. Bracket fungi (photo), shed limbs present. Trunk largely hollow.	D
316	7	1	7,1	p	Dead Stump		Remains of dead tree and one dying Alder.	DD

HADDON HALL TREE SURVEY 2018 Ages: A=0-50yrs; B=50-120 yrs; C=120-170 yrs; D=170-250 yrs; E=250 yrs+. CR=crown raise; DD=dead; FL= fell; X=gone.

317	7	2	7,2	c	Ash/Alder	<i>Fraxinus excelsior/Alnus glutinosa</i>	Planted square, Ash 28(a), 5(b), Alder 5(a), 6 (b).	C	
318	7	3	7,3	c	Crack Willow/Alder	<i>Salix fragilis/Alnus glutinosa</i>	Crack Willow 2(c), 1(b), Alder 1(a), 1(b), 6 dead stumps.	C	
319	7	4	7,4	c	Alder	<i>Alnus glutinosa</i>	4 individuals.	C	
320	7	5	7,5	l	Alder/Crack Willow	<i>Alnus glutinosa/Salix fragilis</i>	Alder 4(h). Crack Willow 4(b), 4 stumps. Stock damage at base, dropped most major limbs.	C	
321	7	6	7,6	s	Ash	<i>Fraxinus excelsior</i>	Suffering <i>Inonotus</i> fungus.	D	V
322	8	1	8,1	s	Ash	<i>Fraxinus excelsior</i>		D	
323	8	2	8,2	c	English Oak	<i>Quercus robur</i>	3(a), 8(b), 2(c).	D	
324	8	3	8,3	s	Sycamore	<i>Acer pseudoplatanus</i>		D	
325	8	4	8,4	s	Ash	<i>Fraxinus excelsior</i>	Potential veteran but suffering <i>Inonotus</i> fungus and leans.	D	
326	8	5	8,5	s	Ash	<i>Fraxinus excelsior</i>	Stock damage at base.	C	
327	8	6	8,6	s	Ash	<i>Fraxinus excelsior</i>		D	
328	8	7	8,7	s	Ash	<i>Fraxinus excelsior</i>	Large cavity at base, unlikely to make veteran.	D	
329	8	8	8,8	l	Ash/Sycamore	<i>Fraxinus excelsior/Acer pseudoplatanus</i>		D	
330	9	1	9,1	p	Hawthorn	<i>Crataegus monogyna</i>	Ash 3(a), 2(b), Sycamore 1(a). Stock damaged. 1 veteran, 1 smaller.	C	
331	9	2	9,2	s	Ash	<i>Fraxinus excelsior</i>	Stock damage at base, lost much of canopy.	D	V
332	9	3	9,3	s	English Oak	<i>Quercus robur</i>		C	
333	9	4	9,4	p	Ash	<i>Fraxinus excelsior</i>		C	
334	9	5	9,5	c	Ash	<i>Fraxinus excelsior</i>	2(a), 3(b) - surrounding pond.	C	
335	9	6	9,6	p	Ash	<i>Fraxinus excelsior</i>		B	
336	9	7	9,7	s	Ash	<i>Fraxinus excelsior</i>	Good condition.	D	
337	9	8	9,8	s	Ash	<i>Fraxinus excelsior</i>	Large Split in limb.	DD	
338	9	9	9,9	s	Ash	<i>Fraxinus excelsior</i>		B	
339	9	10	9,10	s	Ash	<i>Fraxinus excelsior</i>	In decline.	D	
340	9	11	9,11	l	Hawthorn	<i>Crataegus monogyna</i>	Old hedge (C. 40 individuals).	D	
341	10	1	10,1	s	English Oak	<i>Quercus robur</i>		B	
342	10	2	10,2	c	Alder	<i>Alnus glutinosa</i>	20(a), 10(b).	B	

343	10	3	10,3	s	Crack Willow	<i>Salix fragilis</i>			C
344	10	4	10,4	s	Ash	<i>Fraxinus excelsior</i>	Largely rotten throughout trunk, large cavity entrance at base.		D
345	10	5	10,5	s	Ash	<i>Fraxinus excelsior</i>			D
346	10	6	10,6	s	Sycamore	<i>Acer pseudoplatanus</i>			D
			11,1		Alder	<i>Alnus glutinosa</i>	Poor dying crown		C
			11,2		Ash	<i>Fraxinus excelsior</i>	Fair, hedgerow tree		A
			11,3		Ash	<i>Fraxinus excelsior</i>	Good		D
			11,4		Ash	<i>Fraxinus excelsior</i>	Good		D
			11,5		Ash	<i>Fraxinus excelsior</i>	Fair, branch loss		D
			11,6		Alder	<i>Alnus glutinosa</i>	Good		C
			11,7		Ash	<i>Fraxinus excelsior</i>	Good		D V
			11,8		Ash	<i>Fraxinus excelsior</i>	Good		D V
			11,9		Ash	<i>Fraxinus excelsior</i>	Good		D V
			11,10		Ash	<i>Fraxinus excelsior</i>	Good		D V
			11,11		Ash	<i>Fraxinus excelsior</i>	Poor		D V
			11,12		Ash	<i>Fraxinus excelsior</i>	Good		D V
			11,13		Beech	<i>Fagus sylvatica</i>	Good		D
			11,14		Beech	<i>Fagus sylvatica</i>	Good		D
			11,15		Beech	<i>Fagus sylvatica</i>	Good		D
			11,16		Beech	<i>Fagus sylvatica</i>	Good		D
			11,17		Oak	<i>Quercus robur</i>	Good		D V
			11,18		Oak	<i>Quercus robur</i>	Good		D
			11,19		Ash	<i>Fraxinus excelsior</i>	Fair		D V
			11,20		Sycamore	<i>Acer pseudoplatanus</i>	Good		C
			11,21		Sycamore	<i>Acer pseudoplatanus</i>	Good		C
			11,22		Sycamore	<i>Acer pseudoplatanus</i>	Good		C